




↘	<b>Model</b>	<b>EW 3102</b>	
	<b>Code Production</b>	<b>NT901EW</b>	
Interface :			
			
↕	<b>Overall Dimension (Width-Depth-Height) *open</b>	<i>mm</i>	<b>720x780(*1180)x1760(*2030)</b>
	<b>Packaging Dimension (WxDxH)</b>	<i>mm</i>	<b>900x900x2000</b>
	<b>Gross weight</b>	<i>Kg</i>	<b>170</b>
	<b>Net weight</b>	<i>Kg</i>	<b>155</b>
	<b>Volume</b>	<i>mc</i>	<b>1,43</b>
□	<b>Rack size</b>	<i>mm</i>	<b>550x610</b>
	<b>Max door /hood opening</b>	<i>mm</i>	<b>650</b>
	<b>Max glasses/plate Height</b>	<i>mm</i>	<b>600</b>
	<b>General construction</b>		<b>double skin</b>
	<b>Door/hood Construction</b>		<b>double skin</b>
↘	<b>Tank construction</b>		<b>deep drawn</b>
	<b>Tank volume</b>	<i>liter</i>	<b>37</b>
	<b>Tank heating element</b>	<i>W</i>	<b>3000</b>
	<b>Tank surface strainers</b>		<b>Yes-composite</b>
⚙️	<b>Wash pump type</b>		<b>single flow</b>
	<b>Wash pump power</b>	<i>W</i>	<b>1400</b>
	<b>Wash temperature</b>	<i>°C</i>	<b>55</b>
↘	<b>Boiler type</b>		<b>pressurized</b>
	<b>Boiler volume</b>	<i>liter</i>	<b>7</b>
	<b>Back-flow system</b>		<b>valve</b>
	<b>Boiler heating element</b>	<i>W</i>	<b>6000</b>
⚙️	<b>Rinse booster pump</b>		<b>no</b>
	<b>Rinse booster pump power</b>	<i>W</i>	<b>-</b>
	<b>Rinse temperature</b>	<i>°C</i>	<b>80</b>
	<b>Rinse water consumption</b>	<i>Liter /rack</i>	<b>4</b>
	<b>Optimal external water pressure</b>	<i>Bar</i>	<b>2 - 4</b>
🚰	<b>Drain system</b>		<b>Overflow</b>
	<b>Drain pump</b>		<b>NO</b>
▶	<b>Rinse aid dispenser</b>		<b>optional</b>
	<b>Detergent dispenser</b>		<b>optional</b>
⚡	<b>Wash cycle</b>	<i>sec</i>	<b>120 -240 -480- continuous</b>
	<b>Electric Power</b>	<i>W</i>	<b>7400</b>
	<b>Electric Connection</b>	<i>V - ph - Hz</i>	<b>400V 3N 50Hz</b>
	<b>Fuse</b>	<i>A</i>	<b>16</b>
▶	<b>Steel generic basket</b>		<b>YES</b>
	<b>Cutterly Rack</b>		<b>NO</b>
	<b>Electric cable</b>		<b>YES</b>
	<b>Drain hose</b>		<b>YES</b>
	<b>Fill hose</b>		<b>YES</b>



A	SCARICO ACQUA - WATER DRAIN VIDANGE EAU - ABWASSERANSCHLUSS	Ø 50 mm. M.
B	ENTRATA ACQUA ALIMENTAZIONE - FEED WATER CONNECTION ENTREE EAU ALIMENTATION - WASSERANSCHLUSS	Ø G 3/4" M.
C	ALLACCIAMENTO ELETTRICO - ELECTRICAL CONNECTION BRANCHEMENT ELECTRIQUE - ELEKTRISKER ANSCHLUSS	

. .		. .		. .		. .	
. .		. .		. .		. .	
. .		. .		. .		. .	
. .		. .		. .		. .	
				ATTENZIONE : Tolleranza generale ± 0,2 mm eccetto quote tra parentesi (di 1 mm) e dove specificato. Per lavorazioni di roditura rugosità MAX = 0,1 mm. <input type="checkbox"/> = QUOTE CRITICHE			
				SUFFISSO IDENTIFICATIVO STATO DEL PART. (segue il codice) TRANCIATO T TAGLIATO LASER LS PUNZONATO PZ STAMPATO ST PARZIALMENTE PIEGATO (solo pieghe con asterisco *) PGL PIEGATO PG			
Destinazione :		Oggetto :		Scala :		Foglio :	
Ils./Res. da :		Data :		Formato :		1 di 1	
A.Lar.I		31.07.2008		N° disegno :		Codice :	
Verificato da :		Data :		Materiale :		Mod. :	
Validato da :		Data :		Stampo :		41323 100	
				Attrezzatura :			